

# ALTERNATIVE - Sleep Wake ALTJAX\_SLW\_001

## Parameters and Metadata

### ALTERNATIVE - Data confidence level ALTJAX\_SLW\_001\_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

---

### ALTERNATIVE - Sleep daily percent ALTJAX\_SLW\_002\_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: %

Description: ALTERNATIVE - null

---

### ALTERNATIVE - Sleep light phase percent ALTJAX\_SLW\_003\_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

**Unit Measured:** %

**Description:** ALTERNATIVE - null

---

## **ALTERNATIVE - Sleep dark phase percent** ALTJAX\_SLW\_004\_001

| v1.1

simpleParameter

**Req. Analysis:** false

**Req. Upload:** true

**Is Annotated:** false

**Unit Measured:** %

**Description:** ALTERNATIVE - null

---

## **ALTERNATIVE - Sleep bout lengths mean** ALTJAX\_SLW\_005\_001

| v1.1

simpleParameter

**Req. Analysis:** false

**Req. Upload:** true

**Is Annotated:** false

**Unit Measured:** s

**Description:** ALTERNATIVE - null

---

## ALTERNATIVE - Sleep bout lengths standard deviation ALT

JAX\_SLW\_006\_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

---

## ALTERNATIVE - Light sleep bout lengths mean ALTJAX\_SLW\_

007\_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

---

## ALTERNATIVE - Light sleep bout lengths standard deviation ALTJAX\_SLW\_008\_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

---

## **ALTERNATIVE - Dark sleep bout lengths mean** ALTJAX\_SLW\_0

09\_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

---

## **ALTERNATIVE - Dark sleep bout lengths standard deviation** ALTJAX\_SLW\_010\_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

---

## **ALTERNATIVE - Activity onset with respect to dark onset median** ALTJAX\_SLW\_011\_001 | v1.3

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

---

## ALTERNATIVE - Peak wake with respect to dark onset median ALTJAX\_SLW\_012\_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

---

## ALTERNATIVE - Breath rate during sleep mean ALTJAX\_SLW\_013\_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s<sup>-1</sup>

Description: ALTERNATIVE - null

---

## ALTERNATIVE - Breath rate during sleep standard deviation ALTJAX\_SLW\_014\_001 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s<sup>-1</sup>

Description: ALTERNATIVE - null

---

## **ALTERNATIVE - Test duration** ALTJAX\_SLW\_015\_001 | v1.3

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: h

Description: ALTERNATIVE - null

---

## **ALTERNATIVE - Wake state (bmp file)** ALTJAX\_SLW\_016\_001 | v1.

0

mediaParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Experimenter ID** ALTJAX\_SLW\_017\_001 | v1.2

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

---

## **ALTERNATIVE - Equipment ID** ALTJAX\_SLW\_018\_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Equipment manufacturer** ALTJAX\_SLW\_019\_001

| v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: Robotics Center at the University of Kentucky, Signal Solutions,

---

## **ALTERNATIVE - Software** ALTJAX\_SLW\_020\_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: Signal Solutions Sensory Systems, Lexington KY, SleepStats, MatLab, MouseRec,

---

## **ALTERNATIVE - Start time** ALTJAX\_SLW\_021\_001 | v1.2

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Diurnal Wake Ratio Median** ALTJAX\_SLW\_022\_

001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Light Onset Wake Median** ALTJAX\_SLW\_023\_001

| v1.1

simpleParameter



Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Daily Sleep** ALTJAX\_SLW\_024\_001 | v1.1

mediaParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Light/Dark Sleep** ALTJAX\_SLW\_025\_001 | v1.0

mediaParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Wake State Data (text)** ALTJAX\_SLW\_026\_001 | v1

.1

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

**Description:** ALTERNATIVE - null

---

## **ALTERNATIVE - Comments** ALTJAX\_SLW\_027\_001 | v1.0

simpleParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** false

**Description:** ALTERNATIVE - null

---

## **ALTERNATIVE - Start date** ALTJAX\_SLW\_028\_001 | v1.0

procedureMetadata

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** false

**Description:** ALTERNATIVE - null

---