

ALTERNATIVE - Slit Lamp ALTHAS_SLT_001

Parameters and Metadata

ALTERNATIVE - Description ALTHAS_SLT_001_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Description

ALTERNATIVE - Eye size ALTHAS_SLT_002_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Eye_size

Options: normal, left eye decreased size, right eye decreased size, bilaterally decreased size, left eye increased size, right eye increased size, bilaterally increased size, not defined, no data,

ALTERNATIVE - Eye (+) blood presence ALTHAS_SLT_003_001 | v1

.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Eye__blood_presence

Options: absent, left eye present, right eye present, bilaterally present, not defined, no data,

ALTERNATIVE - Eyelid closure ALTHAS_SLT_004_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Eyelid_closure

Options: normal, left eye closed, right eye closed, bilaterally closed,
left eye closure incomplete, right eye closure incomplete, closure incomplete bilaterally,

ALTERNATIVE - Cornea ALTHAS_SLT_005_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Cornea

Options: normal, left eye abnormal, right eye abnormal, bilaterally abnormal,

ALTERNATIVE - Cornea opacity ALTHAS_SLT_006_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Cornea_opacity

Options: normal, left eye opaque, right eye opaque, bilaterally opaque, not defined, no data,

ALTERNATIVE - Cornea vascularisation ALTHAS_SLT_007_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Cornea_vascularisation

Options: absent, left eye present, right eye present, bilaterally present, not defined, no data,

ALTERNATIVE - Lens ALTHAS_SLT_008_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Lens

Options: normal, left eye abnormal, right eye abnormal, bilaterally abnormal,

ALTERNATIVE - Lens opacity ALTHAS_SLT_009_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Lens_opacity

Options: normal, left eye opaque, right eye opaque, bilaterally opaque, not defined, no data,

ALTERNATIVE - Iris/pupil ALTHAS_SLT_010_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - IrisPupil

Options: normal, right eye abnormal, left eye abnormal, bilaterally abnormal,

ALTERNATIVE - Iris/pupil position ALTHAS_SLT_011_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - IrisPupil_position

Options: normal, left eye abnormal, right eye abnormal, bilaterally abnormal, not defined, no data,

ALTERNATIVE - Iris/pupil shape ALTHAS_SLT_012_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - IrisPupil_shape

Options: normal, left eye abnormal, right eye abnormal, bilaterally abnormal, left eye dilated, right eye dilated, bilaterally dilated, not defined, no data,

ALTERNATIVE - Iris/pupil light response ALTHAS_SLT_013_001 |

v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - IrisPupil_light_response

Options: normal, left eye abnormal, right eye abnormal, bilaterally abnormal, no data,

ALTERNATIVE - Iris pigment ALTHAS_SLT_014_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Iris_pigment

Options: normal, left eye abnormal, right eye abnormal, bilaterally abnormal, not defined, no data,

ALTERNATIVE - Digital image(s) ALTHAS_SLT_015_001 | v1.0

seriesMediaParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Digital_Image(s)

Increments: Minimum 1

ALTERNATIVE - Equipment name ALTHAS_SLT_016_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - Equipment_name

ALTERNATIVE - Equipment manufacturer ALTHAS_SLT_017_001

| v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - Equipment_manufacturer

ALTERNATIVE - Equipment model ALTHAS_SLT_018_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - Equipment_model

ALTERNATIVE - Eye ALTHAS_SLT_019_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - Eye

Options: normal, abnormal, left eye absent, right eye absent, bilaterally absent,
