# **Eye Morphology UCDLA\_EYE\_002**

### **Purpose**

To detect abnormalities in eye morphology.

### **Experimental Design**

- Minimum number of animals: 7M + 7F
- Age at test: Week 58
- Sex: We do not expect the results of this test to show sexual dimorphism

#### **Procedure**

- 1. Examine the anterior of both eyes (e.g. with slit lamp) and record any abnormalities
- 2. Test the iris/pupil light response
- 3. Image abnormal eyes as a minimum or all eyes if capacity permits
- 4. Dilate both eyes
- 5. Examine the anterior and posterior of both dilated eyes (e.g. with slit lamp and ophthalmoscope) and record any abnormalities
- 6. Image abnormal eyes as a minimum or all eyes if capacity permits

#### OCT:

- 1. Turn on the OCT and start the database
- 2. Anaesthetize mouse
- 3. Prepare mouse eyes with drops and place contact lens (focal length 10 mm) on the right eye
- 4. Enter mouse data in the "Create new patient file" area and switch to the "Acquisition" window
- 5. Move the OCT camera to the right position and activate measurement modus
- 6. Place mouse collaterally to the OCT camera on the right side of a platform that is fixed in front of the OCT lens
- 7. Search the contact lens in the live picture of the fundus image field and place the pupil of the mouse eye in the centre of the window
- 8. Move the OCT camera such that OCT lens and contact lens touch each other
- 9. Focus the fundus picture by slightly moving up/down or forward/backward
- 10. Save fundus images
- 11. Set the "Ref.Arm" ruler such that the section of the retina is placed in the centre of the blue rectangle
- 12. Set the mode of measurement on "vertical, horizontal line"
- 13. Move the blue horizontal line in the fundus image field to the optic nerve level
- 14. Save images of retinal sections
- 15. Move the OCT camera to the left position

16. Repeat measurement procedure for the left eye

#### Scheimpflug Imaging:

- 1. Turn on the Pentacam and start the patient data management
- 2. Apply one drop 0.5% Atropine to each mouse eye for pupil dilation
- 3. Enter mouse data in the "Patient" group box and switch to the Scan menu
- 4. Activate the "1 Picture" modus in the "Image Options" area
- 5. Move Pentacam to the right position
- 6. Hold the mouse on a platform such that the vertical LED 475 nm light slit is orientated in the center of the right eye ball
- 7. Guarantee optimal focus by using the fine adjustment software tool in the adjustment window
- 8. Start imaging manually by pressing the "Start Scan" button
- 9. Scheimpflug images are saved automatically
- 10. Move Pentacam to the left position
- 11. Repeat measurement procedure for the left eye

#### **Notes**

- As a minimum, all abnormalities should be imaged.
  - Where capacity permits, all mice can be imaged
- Majority of parameters can be analysed using the standard approach for assessing categorical data. To increase power for analysis purposes, where an abnormality is detected in the left, right or both eyes, the data may be combined to generate one "abnormal" category.
- Data for both eyes is recorded under one parameter to distinguish phenotypes of incomplete penetrance in individuals and if an observation for one or both eyes cannot be made, this is recorded as 'no data'. The IMPC analysis pipeline does not take into account whether an abnormality is fully penetrant or not and the same weight is given for an abnormal observations in one or both eyes. In cases where it is not possible to confirm if an abnormality is present or not, the data is not included in the statistical analysis. The following logic is applied in determining whether to include the data in analysis:
  - If at least one of the eyes shows an abnormality in a particular parameter, the data for that specimen will be included in the statistical analysis even if the other eye is marked as "no data".
  - If the eyes are marked as "no data", or one eye is normal and the other eye is "no data" for a particular parameter the data for that specimen will not be included in the statistical analysis.

#### **Data QC**

Image QC is typically performed during data collection to ensure high quality images are captured whilst eyes are dilated etc.

#### **Parameters and Metadata**

## Max right eye lens density UCDLA\_EYE\_058\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true
Unit Measured: %

# Right total retinal thickness UCDLA\_EYE\_062\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

## Ophthalmoscope Equipment Model UCDLA\_EYE\_035\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Options: Omega 180 / 60D,

Xenon Nova 175W light source + HOPKINS optic 1218AA /Nikon D5100 + 85 mm f/1.8 lens, SL4 4AA, OMEGA 180 / Superfield NC, Micron III, Sigma 150K, Genesis-D, Genesis-DF,

Genesis, Omega 500 Unplugged,

## Mean right eye lens density UCDLA\_EYE\_059\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true
Unit Measured: %

# **Optical Coherence Tomography Equipment ID UCDLA\_EYE\_03**

7\_001 | v1.1

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

### Images Slit Lamp UCDLA\_EYE\_051\_001 | v1.1

seriesMediaParameter

Req. Analysis: false Req. Upload: false Is Annotated: false

## Pupil Position UCDLA\_EYE\_011\_001 | v1.0

simpleParameter

	, right eye abnormal, no data le data left eye, right eye abnorm ormal,	
Iris transiluminatio	ON UCDLA_EYE_082_001   v	v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: true
	data for both eyes, left eye abn ft eye, right eye abnormal, no c	normal, no data right eye, data right eye, left eye abnormal,
Scheimpflug Equip	oment Manufacture	UCDLA_EYE_041_001   v1.4
Req. Analysis: true	Req. Upload: false	Is Annotated: false
Options: Oculus GmbH,		

# Right vitreous humor thickness UCDLA\_EYE\_087\_001 | v1.0

simpleParameter

Unit Measured: um		
Min right eye lens of simpleParameter	density ucdla_eye_05 <sup>.</sup>	7_001   v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: %		
Images Ophthalmo	SCOPY UCDLA_EYE_050	_001   v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Vitreous UCDLA_EYE_0 simpleParameter	083_001   v1.1	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
<b>Options:</b> no data for both eyes, no data right eye, left eye abnormal, no data left eye, right eye abnormal, right eye abnormal, normal, no data right eye, left eye abnormal, no data left eye, both eyes abnormal,		

## Slit Lamp Equipment Manufacturer UCDLA\_EYE\_031\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false Options: Topcon, Zeiss, CSO, Kowa, Haag-Streit, MuLe, Phoenix Research Labs, Scheimpflug Equipment Model UCDLA\_EYE\_042\_001 | v1.4 procedureMetadata Req. Analysis: true Req. Upload: false Is Annotated: false Options: Pentacam, Right eye diameter UCDLA\_EYE\_090\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: mm

Bulging eye UCDLA\_EYE\_002\_001 | v1.0

simpleParameter

**Options:** present left eye, no data right eye, present left eye, no data right eye, no data left eye, present right eye, present right eye, absent, no data left eye, present both eyes, no data for both eyes,

\_\_\_\_\_

### Corneal mineralization UCDLA\_EYE\_084\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data left eye, present right eye, absent, no data left eye, present right eye, no data for both eyes, no data right eye, present left eye, no data right eye, present left eye, present both eyes,

.....

### Optic Disc UCDLA\_EYE\_023\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

**Options:** no data left eye, no data right eye, right eye abnormal, no data right eye, left eye abnormal, left eye abnormal, no data left eye, right eye abnormal, normal, both eyes abnormal, no data for both eyes,

-----

Req. Analysis: false	Req. Upload: false	Is Annotated: false
Iris Pigmentation UnsimpleParameter	CDLA_EYE_015_001   v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
	t eye abnormal, no data for bot eft eye, no data left eye, right ey t eye abnormal,	
Slit Lamp observat simpleParameter	<b>ion</b> ucdla_eye_028_001	v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: false
VIP of left eye UCDLA seriesMediaParameter	A_EYE_079_001   v1.1	
Req. Analysis: false	Req. Upload: false	Is Annotated: false

### Eyelid morphology UCDLA\_EYE\_004\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true **Options:** no data left eye, right eye abnormal, both eyes abnormal, normal, right eye abnormal, no data for both eyes, no data right eye, left eye abnormal, no data right eye, no data left eye, left eye abnormal, Ophthalmoscope Lens Model UCDLA\_EYE\_089\_001 | v1.1 procedureMetadata Reg. Analysis: false Reg. Upload: false Is Annotated: false Persistence of hyaloid vascular system UCDLA\_EYE\_027\_001 | v1 .0 simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data right eye, present left eye, no data left eye, present right eye, present right eye, absent, present both eyes, no data for both eyes, no data right eye, present left eye, no data left eye,

**Options:** no data left eye, no data for both eyes, no data right eye, left eye dilated, no data left eye, right eye dilated, no data right eye, right eye dilated, both eyes dilated, normal, left eye dilated,

.....

### **Lens** UCDLA\_EYE\_016\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

**Options:** both eyes abnormal, right eye abnormal, no data left eye, right eye abnormal, no data left eye, no data right eye, no data right eye, left eye abnormal, left eye abnormal, no data for both eyes,

# Left inner nuclear layer UCDLA\_EYE\_069\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

.....

Req. Analysis: true	Req. Upload: true	Is Annotated: false
<b>Options:</b> Mydriacyl, Oxybupro Hydrochloride, No anesthesia,		rlephrine hydrochloride, Atropine,
<b>Eye</b> UCDLA_EYE_001_00 simpleParameter	1   v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Options: absent left eye, pres	ent, absent right eye, absent b	oth eyes,
Experimenter ID UC procedureMetadata	DLA_EYE_036_001   v1.1	
Req. Analysis: false	Req. Upload: true	Is Annotated: false
B-scan of left cornea and lens UCDLA_EYE_077_001   v1.1 seriesMediaParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: false

# B-scan of right retina UCDLA\_EYE\_072\_001 | v1.1

seriesMediaParameter

	Req. Upload: false	
	ation ucdla_eye_009_0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
<b>Options:</b> no data left eye, absent, no data left eye, present right eye, present both eyes, no data for both eyes, present left eye, no data right eye, present left eye, present right eye, no data right eye,		
	<b>ess</b> ucdla_eye_066_001	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: um		

Date OCT equipment last calibrated UCDLA\_EYE\_049\_001 | v1.1

procedureMetadata

Req. Upload: false	Is Annotated: false		
ON UCDLA_EYE_080_001   \	/1.1		
Req. Upload: false	Is Annotated: true		
o data right eye, present left eye eye, no data for both eyes, pres eye, no data left eye,			
oment ID ucdla_eye_0	40_001   v1.1		
Req. Upload: false	Is Annotated: false		
VIP of right fundus UCDLA_EYE_074_001   v1.1 seriesMediaParameter			
Req. Upload: false	Is Annotated: false		
	Req. Upload: false  o data right eye, present left eye eye, no data for both eyes, preseye, no data left eye,  oment ID UCDLA_EYE_0.  Req. Upload: false		

Req. Analysis: false	Req. Upload: false	Is Annotated: true
<b>Options:</b> no data for both eyes, no data right eye, present left eye, no data right eye, present left eye, no data left eye, present both eyes, no data left eye, present right eye, absent, present right eye,		
Cornea UCDLA_EYE_00 simpleParameter	07_001   v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: true
<b>Options:</b> no data for both eyes, normal, left eye abnormal, no data right eye, both eyes abnormal, no data left eye, no data left eye, right eye abnormal, no data right eye, left eye abnormal, right eye abnormal,		
Left vitreous humour thickness UCDLA_EYE_088_001   v1.0 simpleParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: true

# Corneal ulcer UCDLA\_EYE\_085\_001 | v1.0

Unit Measured: um

**Options:** no data right eye, present left eye, no data left eye, present right eye, no data for both eyes, no data left eye, present both eyes, present right eye, absent, no data right eye, present left eye,

.....

### Lacrimation UCDLA\_EYE\_086\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data right eye, present left eye, present both eyes, absent, present left eye, no data for both eyes, no data left eye, no data left eye, present right eye, no data right eye, present right eye,

### Slit Lamp Equipment ID UCDLA\_EYE\_030\_001 | v1.2

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

\_\_\_\_\_

#### Fusion between cornea and lens UCDLA\_EYE\_018\_001 | v1.0

simpleParameter

Options: absent, no data left eye, no data for both eyes, no data right eye, present left eye,			
no data right eye, present right	no data right eye, present right eye, no data left eye, present right eye, present left eye,		
present both eyes,			
Right corneal thick simpleParameter	ness ucdla_eye_060_0	01   v1.2	
Req. Analysis: false	Req. Upload: false	Is Annotated: true	
Unit Measured: um			
Corneal opacity UCI simpleParameter	DLA_EYE_008_001   v1.0		
Req. Analysis: false	Req. Upload: true	Is Annotated: true	
<b>Options:</b> present right eye, no data left eye, present right eye, no data right eye, present left eye, no data right eye, present both eyes, absent, no data for both eyes, no data left eye,			

Pupil Shape UCDLA\_EYE\_012\_001 | v1.0

simpleParameter

**Options:** both eyes abnormal, left eye abnormal, no data left eye, normal, no data right eye, left eye abnormal, right eye abnormal, no data left eye, right eye abnormal, no data right eye, no data for both eyes,

# VIP of right eye UCDLA\_EYE\_078\_001 | v1.1

seriesMediaParameter

Req. Analysis: false Req. Upload: false Is Annotated: false

.....

# Corneal deposits UCDLA\_EYE\_081\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** present right eye, no data right eye, present left eye, no data left eye, present right eye, no data left eye, present left eye, absent, no data right eye, no data for both eyes, present both eyes,

.....

## Slit Lamp Equipment Model UCDLA\_EYE\_032\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

<b>Options:</b> SL-7E, SL 990, SL 139, BQ 900 LED/IM-900, S350, SL-15, 30 SL-M, SL30, SL130, Micron III slit lamp extension,		
Iris/Pupil UCDLA_EYE_simpleParameter	_010_001   v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
-	pnormal, no data for both eyes,	ata right eye, left eye abnormal, no data right eye,
Scheimpflug descr	ription UCDLA_EYE_053	_001   v1.0
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Mean left eye lens simpleParameter	density ucdla_eye_05	56_001   v1.1
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: %		

### Synechia UCDLA\_EYE\_019\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true Options: absent, no data left eye, no data for both eyes, no data left eye, present right eye, no data right eye, present both eyes, present right eye, present left eye, no data right eye, present left eye, Right inner nuclear layer UCDLA\_EYE\_063\_001 | v1.2 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: um Right anterior chamber depth UCDLA\_EYE\_061\_001 | v1.2 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: um

**Unit Measured:** %

\_\_\_\_\_

## Left anterior chamber depth UCDLA\_EYE\_067\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

# Right posterior chamber depth UCDLA\_EYE\_065\_001 | v1.2

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: um

.....

# **Optical Coherence Tomography Equipment Model UCDLA\_E**

YE\_039\_001 | v1.2

procedureMetadata

Req. Analysis: true Req. Upload: false Is Annotated: false

Options: Spectralis, EnvisuTM R-Series SDOIS, Envisu R2200,			
Date Scheimpflug equipment last calibrated UCDLA_EYE_048_0			
01   v1.1 procedureMetadata			
Req. Analysis: false			
	_		
B-scan of left retinations series Media Parameter	<b>a</b> ucdla_eye_073_001   v	1.1	
Req. Analysis: false	Req. Upload: false	Is Annotated: false	
simpleParameter	SEIS UCDLA_EYE_024_001	v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: true	
<b>Options:</b> no data for both eyes, no data right eye, no data left eye, normal, left eye abnormal, no data right eye, left eye abnormal, both eyes abnormal, right eye abnormal, no data left eye, right eye abnormal,			

### Dilation Method UCDLA\_EYE\_043\_001 | v1.0

procedureMetadata

**Req. Analysis:** false **Req. Upload:** true Is Annotated: false Options: Tropicamide, Atropine, Phenylephrine hydrochloride, Atropine sulphate, Cyclopentolate hydrochloride+Phenylephrine hydrochloride, Tropicamide+Phenylephrin, None, Cyclopentolate hydrochloride, Date Slit Lamp equipment last calibrated UCDLA\_EYE\_046\_001 | v1.1 procedureMetadata Req. Analysis: false Req. Upload: false Is Annotated: false Left total retinal thickness UCDLA\_EYE\_068\_001 | v1.2 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Unit Measured: um

Retinal Blood Vessels Pattern UCDLA\_EYE\_026\_001 | v1.0

simpleParameter

<b>Options:</b> no data right eye, left eye abnormal, left eye abnormal, no data right eye, no data for both eyes, no data left eye, both eyes abnormal, no data left eye, right eye abnormal, right eye abnormal, normal,		
Left posterior char simpleParameter	<b>nber depth</b> ucdla_ey	E_071_001   v1.2
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: um		
Ophthalmoscope Observation UCDLA_EYE_029_001   v1.1 simpleParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Sheimpflug Lens description UCDLA_EYE_052_001   v1.1 simpleParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: false

# Ophthalmoscope Equipment ID UCDLA\_EYE\_033\_001 | v1.2

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

### Eyelid closure UCDLA\_EYE\_005\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Options:** no data right eye, left eye closed, no data left eye, right eye closed, both eyes closed, no data left eye, right eye closed, normal, no data for both eyes, no data right eye, left eye closed,

.....

### Left eye diameter UCDLA\_EYE\_091\_001 | v1.0

simpleParameter

Reg. Analysis: false Reg. Upload: false Is Annotated: true

Unit Measured: mm

### Max left eye lens density UCDLA\_EYE\_055\_001 | v1.1

simpleParameter

Unit Measured: %		
Lens Opacity UCDLA simpleParameter	_EYE_017_001   v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: true
	sent right eye, no data right eye eye, no data left eye, absent, n	e, present both eyes, o data right eye, present left eye
Retinal Blood Vess simpleParameter	sels Structure ucdla	_EYE_025_001   v1.0
Req. Analysis: false	Req. Upload: true	Is Annotated: true

**Options:** no data right eye, left eye abnormal, no data for both eyes, both eyes abnormal, no data left eye, right eye abnormal, no data right eye, normal, right eye abnormal, no data left eye, left eye abnormal,

# General Anesthetic UCDLA\_EYE\_045\_001 | v1.1

procedureMetadata

Req. Analysis: true Req. Upload: true Is Annotated: false

Options: Euthatal, Avertin, Iso	flurane, Ketamine+Xylazine, K	etamine+Medetomidine,		
Optical Coherence UCDLA_EYE_038_001   v1.2 procedureMetadata		ment Manufacturer		
Req. Analysis: true	Req. Upload: false	Is Annotated: false		
Options: Bioptigen, Heidelberg Engineering,				
Pupil Light Response UCDLA_EYE_014_001   v1.0 simpleParameter				
Req. Analysis: false	Req. Upload: false	Is Annotated: true		
<b>Options:</b> no data right eye, left eye abnormal, both eyes abnormal, no data left eye, right eye abnormal, no data for both eyes, left eye abnormal, no data left eye, normal, right eye abnormal, no data right eye,				

# Right outer nuclear layer UCDLA\_EYE\_064\_001 | v1.2

simpleParameter

Unit Measured: um			
Ophthalmoscope Equipment Manufacturer UCDLA_EYE_034_001   v1.2 procedureMetadata			
Req. Analysis: true	Req. Upload: false	Is Annotated: false	
Options: Heine, Phoenix, Keeler LTD, Haag-Streit, Phoenix Research Labs, Karl Storz / Nikon, Kowa, Heine / Volk,			
Date Ophthalmosc _047_001   v1.1 procedureMetadata	ope equipment last	calibrated ucdla_eye	
Req. Analysis: false	Req. Upload: false	Is Annotated: false	
B-scan of right cornea and lens UCDLA_EYE_076_001   v1.1 seriesMediaParameter			
Req. Analysis: false	Req. Upload: false	Is Annotated: false	

### Left outer nuclear layer UCDLA\_EYE\_070\_001 | v1.2

no data left eye, right eye abnormal, normal,

simpleParameter

Req. Upload: false Is Annotated: true Req. Analysis: false Unit Measured: um Retina (combined) UCDLA\_EYE\_092\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Narrow eye opening UCDLA\_EYE\_006\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: true Options: no data left eye, left eye abnormal, right eye abnormal, no data for both eyes, both eyes abnormal, no data right eye, left eye abnormal, no data right eye,